

**HIKVISION**




GREAT INNOVATION  
FROM DEEP INSIDE  
A NEW GENERATION OF  
**DF SERIES PTZ CAMERAS**

# A NEW GENERATION OF DF SERIES PTZ CAMERAS

DF Series PTZ Cameras are designed with excellent pan, tilt, and zoom capabilities for round-the-clock operation – meeting and exceeding customer’s critical needs across vertical markets. To take this great technology over the next horizon, Hikvision has launched a new generation of DF Series Cameras with tremendous innovation while maintaining nearly the same, perfectly-suited housings.

The new DF Series – designed around an entirely new platform – come with various innovative features. Revolutionary dual-sensor DarkFigherX, 50x super zoom with OIS, Rapid-Focus, the latest deep learning algorithm and H.265+ codec are all integrated into this series to better fulfill every challenging need in the industry.



NEW PLATFORM > SUPERIOR PERFORMANCE > INTELLIGENT APPLICATIONS

DarkFighterX

- + Revolutionary dual-sensor design, superb ultra-low-light performance

4 MP DarkFighter

- + DarkFighter technology incorporates into ultra-high resolution

Optical Image Stabilization

- + Excellent image stabilization in challenging conditions

50x Optical Zoom

- + Powerful focusing capability

H.265+ Codec

- + Remarkable efficiency in bandwidth and storage usage

Deep Learning

- + Effective VCAs for practical applications

# FEATURES OF NEW DF SERIES

## 1 DarkFighterX



Conventional camera



DarkFighter camera




DarkFighterX camera

### DarkFighterX

- Higher brightness
- Better color fidelity
- Sharper edge
- Less noise and blur

*\*Note: only for DS-2DF8225IH-AEL(W) and DS-2DF8225I5H-AEL(W)*



### Revolutionary Dual-Sensor Design


One sensor captures black and white images while the other captures color images. The two images then merge into one with full color and sufficient brightness.

*\* Note: only for DS-2DF8225IH-AEL(W) and DS-2DF8225I5H-AEL(W)*

## 2 4 MP DarkFighter



Conventional PTZ



4 MP DarkFighter PTZ

**Outdoor low-light performance with 4 MP resolution**

Sharper images with less noise to enhance outdoor surveillance.

## 3 OIS



OIS off



OIS on

**Optical Image Stabilization**

Equipped with gyroscopes, Optical Image Stabilization (OIS) lenses, and dedicated processors, Hikvision PTZ cameras can sense vibrations, then make quick and precise compensations to keep the video stable.

*\* Note: only for DS-2DF8250I5X-AEL(W), DS-2DF8250I8X-AEL(W)*

## 4 SUPER ZOOM



1x



6x

**Zoom lens with unconventionally large focal length factors**

Up to 50x optical zoom

*\* Note: only for DS-2DF8250I5X-AEL(W), DS-2DF8250I8X-AEL(W)*



27x



50x

## 5 4K


8 MP ultra-high definition



## 6 H.265+ CODEC

### Most Efficient Use of Bandwidth


How many 2 MP cameras can be carried by a 20 Mbps broadband network?



20 Mbps broadband network

### Most Efficient Use of Storage

How long can 5 TB of storage space last for eight 2 MP cameras?




Eight 2 MP cameras  
 5 TB of storage

## 7 EMBEDDED DEEP LEARNING ALGORITHM

### False Alarm Filter and Auto-Tracking 2.0

Deep learning algorithm filters out false alarms caused by non-target objects such as animals, leaves and light changes, greatly improving the accuracy of false alarm filter and auto-tracking.



## APPLICATION SCENARIOS



Squares



Harbors



Cities



Stadiums



Intersections




Airports



Schools



Parking lots



Warehouses

DarkFighterX



**DS-2DF8225I5H-AEL(W)**  
2 MP 25x 500 m Laser  
Network PTZ Dome

DarkFighterX<sup>+</sup> 25x

- Dual-sensor, 1/2.8" Progressive Scan CMOS
- Up to 1920 × 1080 resolution
- Min. illumination:
  - Color: 0.0004 lux @ (F1.5, AGC ON)
  - B/W: 0.0001 lux @ (F1.5, AGC ON)
- 25× optical zoom, 16× digital zoom
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- 120 dB WDR, 3D DNR, HLC, BLC
- Up to 500 m laser distance
- 24 VAC & Hi-PoE
- Optical defog
- Wiper, optional
- IP67
- IK10 (without wiper)



**DS-2DF8225IH-AEL(W)**  
2 MP 25x 200 m IR  
Network PTZ Dome

DarkFighterX<sup>+</sup> 25x

- Dual-sensor, 1/2.8" Progressive Scan CMOS
- Up to 1920 × 1080 resolution
- Min. illumination:
  - Color: 0.0004 lux @ (F1.5, AGC ON)
  - B/W: 0.0001 lux @ (F1.5, AGC ON)
- 25× optical zoom, 16× digital zoom
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- 120 dB WDR, 3D DNR, HLC, BLC
- Up to 200 m IR distance
- 24 VAC & Hi-PoE
- Optical defog
- Wiper, optional
- IP67
- IK10 (without wiper)

Super Zoom



**DS-2DF8250I8X-AEL(W)**  
2 MP 50x 800 m Laser  
Network PTZ Dome

50x

- 1/2.8" Progressive Scan CMOS
- Up to 1920 × 1080 resolution
- Min. illumination:
  - Color: 0.01 lux @ (F1.8, AGC ON)
  - B/W: 0.001 lux @ (F1.8, AGC ON)
- 50× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC, BLC
- Optical Image Stabilization
- Up to 800 m laser distance
- 24 VAC & Hi-PoE
- Optical defog
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67
- IK10 (without wiper)

4K



**DS-2DF8250I5X-AEL(W)**  
2 MP 50x 500 m Laser  
Network PTZ Dome

50x

- 1/2.8" Progressive Scan CMOS
- Up to 1920 × 1080 resolution
- Min. illumination:
  - Color: 0.01 lux @ (F1.8, AGC ON)
  - B/W: 0.001 lux @ (F1.8, AGC ON)
- 50× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC, BLC
- Optical Image Stabilization
- Up to 500 m laser distance
- 24 VAC & Hi-PoE
- Optical defog
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67
- IK10 (without wiper)



**DS-2DF8836I5X-AEL(W)**  
8 MP 36x 500 m Laser  
Network PTZ Dome

36x

- 2/3" progressive scan CMOS
- Up to 4096 × 2160 resolution
- Min. illumination:
  - Color: 0.005 lux @ (F1.5, AGC ON)
  - B/W: 0.0005 lux @ (F1.5, AGC ON)
- 36× optical zoom, 16× digital zoom
- Digital WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- Up to 500 m laser distance
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- Rapid focus
- IP67
- IK10 (without wiper)



**DS-2DF8836I-AEL(W)**  
8 MP 36x 200 m IR  
Network PTZ Dome

36x

- 2/3" progressive scan CMOS
- Up to 4096 × 2160 resolution
- Min. illumination:
  - Color: 0.005 lux @ (F1.5, AGC ON)
  - B/W: 0.0005 lux @ (F1.5, AGC ON)
- 36× optical zoom, 16× digital zoom
- Digital WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- Up to 200 m IR distance
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- Rapid focus
- IP67
- IK10 (without wiper)



**DS-2DF8825I-AEL(W)**  
8 MP 25x 200 m IR  
Network PTZ Dome

25x

- 2/3" progressive scan CMOS
- Up to 4096 × 2160 resolution
- Min. illumination:
  - Color: 0.005 lux @ (F1.5, AGC ON)
  - B/W: 0.0005 lux @ (F1.5, AGC ON)
- 25× optical zoom, 16× digital zoom
- Digital WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- Up to 200 m IR distance
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- Rapid focus
- IP67
- IK10 (without wiper)



**DS-2DF6A836X-AEL**  
8 MP 36x Network PTZ  
Dome

36x

- 2/3" progressive scan CMOS
- Up to 4096 × 2160 resolution
- Min. illumination:
  - Color: 0.005 lux @ (F1.5, AGC ON)
  - B/W: 0.0005 lux @ (F1.5, AGC ON)
- 36× optical zoom, 16× digital zoom
- Digital WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- Rapid focus
- IP67, IK10



**DS-2DF6A825X-AEL**  
8 MP 25x Network PTZ  
Dome

25x

- 2/3" progressive scan CMOS
- Up to 4096 × 2160 resolution
- Min. illumination:
  - Color: 0.005 lux @ (F1.5, AGC ON)
  - B/W: 0.0005 lux @ (F1.5, AGC ON)
- 25× optical zoom, 16× digital zoom
- Digital WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- Rapid focus
- IP67, IK10

# PRODUCT SHOWCASE

## 4 MP DarkFighter



**DS-2DF843615X-AEL(W)**  
4 MP 36x 500 m Laser  
Network PTZ Dome

DarkFighter + 36x

- 1/1.8" progressive scan CMOS
- Up to 2560 × 1440 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 36× optical zoom, 16× digital zoom
- WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- Up to 500 m laser distance
- H.265+/H.265 video compression
- Rapid focus
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67
- IK10 (without wiper)



**DS-2DF84361X-AEL(W)**  
4 MP 36x 200 m IR  
Network PTZ Dome

DarkFighter + 36x

- 1/1.8" progressive scan CMOS
- Up to 2560 × 1440 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 36× optical zoom, 16× digital zoom
- WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- Up to 200 m IR distance
- H.265+/H.265 video compression
- Rapid focus
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67
- IK10 (without wiper)



**DS-2DF825018X-AEL(W)**  
4 MP 25x 200 m IR  
Network PTZ Dome

DarkFighter + 25x

- 1/1.8" progressive scan CMOS
- Up to 2560 × 1440 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 25× optical zoom, 16× digital zoom
- WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- Up to 200 m IR distance
- H.265+/H.265 video compression
- Rapid focus
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67
- IK10 (without wiper)



**DS-2DF6A436X-AEL**  
4 MP 36x Network PTZ  
Dome

DarkFighter + 36x

- 1/1.8" progressive scan CMOS
- Up to 2560 × 1440 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 36× optical zoom, 16× digital zoom
- WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- H.265+/H.265 video compression
- Rapid focus
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67, IK10



**DS-2DF6A425X-AEL**  
4 MP 25x Network PTZ  
Dome

DarkFighter + 25x

- 1/1.8" progressive scan CMOS
- Up to 2560 × 1440 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 25× optical zoom, 16× digital zoom
- WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- H.265+/H.265 video compression
- Rapid focus
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67, IK10



**DS-2DF823615X-AEL(W)**  
2 MP 36x 500 m Laser  
Network PTZ Dome

DarkFighter + 36x

- 1/1.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 36× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- Up to 500 m laser distance
- H.265+/H.265 video compression
- Rapid focus
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67
- IK10 (without wiper)



**DS-2DF82361X-AEL(W)**  
2 MP 36x 200 m IR  
Network PTZ Dome

DarkFighter + 36x

- 1/1.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 36× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- Up to 200 m IR distance
- H.265+/H.265 video compression
- Rapid focus
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67
- IK10 (without wiper)



**DS-2DF82251X-AEL(W)**  
2 MP 25x 200 m IR  
Network PTZ Dome

DarkFighter + 25x

- 1/1.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 25× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- Up to 200 m IR distance
- H.265+/H.265 video compression
- Rapid focus
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67
- IK10 (without wiper)



**DS-2DF6A236X-AEL**  
2 MP 36x Network PTZ  
Dome

DarkFighter + 36x

- 1/1.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 36× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- H.265+/H.265 video compression
- Rapid focus
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67, IK10





**DS-2DF6A225X-AEL**  
2 MP 25x Network PTZ Dome

DarkFighter+ 36x

- 1/1.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 25× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Optical defog
- H.265+/H.265 video compression
- Rapid focus
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IP67, IK10



**DS-2DF7232IX-AEL(W)**  
2 MP 32x 200 m IR Network PTZ Dome

DarkFighter+ 32x

- 1/2.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.2, AGC ON)
  - B/W: 0.0002 lux @ (F1.2, AGC ON)
  - 0 lux with IR
- 32× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Up to 150 m IR distance
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- Rapid focus
- IP66



**DS-2DF7225IX-AEL(W)**  
2 MP 25x 200 m IR Network PTZ Dome

DarkFighter+ 25x

- 1/2.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.2, AGC ON)
  - B/W: 0.0002 lux @ (F1.2, AGC ON)
  - 0 lux with IR
- 25× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC, Smart IR
- 24 VAC & Hi-PoE
- Up to 150 m IR distance
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- Rapid focus
- IP66



**DS-2DF6225X-AEL**  
2 MP 25x Network PTZ Dome

DarkFighter+ 36x

- 1/1.9" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.5, AGC ON)
  - B/W: 0.0002 lux @ (F1.5, AGC ON)
- 25× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC, Optical Defog
- 24 VAC & Hi-PoE
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection



**DS-2DF5232X-AEL**  
2 MP 32x Network PTZ Dome

DarkFighter+ 32x

- 1/2.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.2, AGC ON)
  - B/W: 0.0002 lux @ (F1.2, AGC ON)
- 32× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC
- 24 VAC & Hi-PoE
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IK10, IP66



**DS-2DF7225IX-AEL(W)**  
2 MP 32x Indoor Network PTZ Dome

DarkFighter+ 32x

- 1/2.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.2, AGC ON)
  - B/W: 0.0002 lux @ (F1.2, AGC ON)
- 32× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC
- 24 VAC & Hi-PoE
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IK10



**DS-2DF5225X-AEL**  
2 MP 25x Network PTZ Dome

DarkFighter+ 25x

- 1/2.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.2, AGC ON)
  - B/W: 0.0002 lux @ (F1.2, AGC ON)
- 25× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC
- 24 VAC & Hi-PoE
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IK10, IP66




**DS-2DF5225X-AEL3**  
2 MP 25x Indoor Network PTZ Dome

DarkFighter+ 25x

- 1/2.8" progressive scan CMOS
- Up to 1920 × 1080 resolution
- Min. Illumination:
  - Color: 0.002 lux @ (F1.2, AGC ON)
  - B/W: 0.0002 lux @ (F1.2, AGC ON)
- 25× optical zoom, 16× digital zoom
- 120 dB WDR, 3D DNR, HLC
- 24 VAC & Hi-PoE
- H.265+/H.265 video compression
- Deep-learning-based target classification algorithm for auto-tracking 2.0 and perimeter protection
- IK10

# PRODUCT COOPERATION PROPOSAL



With the official launch of Hikvision's Integration Partner Program, we are glad to offer an opportunity for extensive cooperation between Hikvision and its various partners. This effort will harness the power of combined networks to create a joint value proposition and gain the leading edge in the market.

When joining this program as a Hikvision Strategic Partner, you will enjoy access to a wealth of technical and commercial resources, and we will ensure that your solution enjoys strategic marketing through our communication channels. You will also get instant access to our entire sales organisation. A vital part of our program is streamlined online communication with our technical teams as well as the tools to plan the go-to-market activities.



Hikvision DarkFighterX Cameras have been officially released all around the world, and are project-ready from all of our distribution networks and branch offices, ensuring a quarantined logistic supply and local technical support.

**In order to build a better joint value proposition with our DarkFighterX cameras, we will take the following integration approaches based on the partner's strengths:**





GREAT INNOVATION  
FROM DEEP INSIDE  
**A NEW GENERATION OF  
DF SERIES PTZ CAMERAS**

Distributed by



**HIKVISION®**

**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com


**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com

Follow us on social media to get the latest product and solution information



www.hikvision.com

