



HIKVISION[®]

**REMARKABLE PERFORMANCE
OUTSTANDING RELIABILITY**
HIKVISION COMMERCIAL DISPLAYS



LCD VIDEO WALL

FEATURES

TINY BEZEL SCREEN SPLICING

Choose from a wide range of ultra-thin bezel splicing LCD screens to meet a multitude of requirements and needs.



0.77/0.88 mm

1.7/1.8 mm

3.5 mm

BEST CHIPS, BEST PANEL, BEST DISPLAY

Enjoy lossless signal transmission, more extensive color gamut coverage, and abundant colors with the advanced chips and 8-bit processing power.



UNIFORM COLOR AND BRIGHTNESS

Ultra-uniform color and brightness imaging using dynamic self-adapting Noise Reduction, Edge Processing, and Cross Color Suppression.

INDUSTRIAL GRADE HARDWARE DESIGN

Guard against interference from radiation, magnetic fields, and strong electric fields with the metal housing design using Hikvision's patented 2 mm carbon sheet metal and electrostatic spray.

PRODUCT LIST



Size: 46"

- Resolution: 1920 × 1080
- Bezel width: 1.7 / 3.5 / 5.3 mm
- Brightness: 500, 700 cd/m²
- Contrast: 4000:1
- Display color: 16.7 M (8-bit)
- Designed for 24/7 Operation



Size: 49"

- Resolution: 1920 × 1080
- Bezel width: 3.5 mm
- Brightness: 500 cd/m²
- Contrast: 4000:1
- Display color: 16.7 M (8-bit)
- Designed for 24/7 Operation




Size: 55"

- Resolution: 1920 × 1080
- Bezel width: 1.8 / 3.5 mm
- Brightness: 500, 700, 800 cd/m²
- Contrast: 4000:1
- Display color: 16.7 M (8-bit)
- Designed for 24/7 Operation



VIDEO WALL CONTROLLER



FEATURES

- Signal transmission without delay or loss
- Adaptable control mode
- Supports multiple signal and resolution
- Multiple image splicing patterns for live view



PRODUCT LIST



Video Wall Controller Chassis
DS-C10S-S22T

- 8U casing
- 12 input slot
- 10 output slot



Video Wall Controller Chassis
DS-C10S-S11T

- 4U casing
- 6 input slot
- 5 output slot



Video Wall Controller Chassis
DS-C10S-S09T

- 4U casing
- 6 input slot
- 3 output slot




LED DISPLAY INDOOR

FEATURES


16:9 ASPECT RATIO FOR COMMON RESOLUTIONS

Supports common 1080p and 4K resolutions with equal proportions. The standard structure simplifies splicing several screens together and enables easy installation and maintenance.



HIGH-PRECISION SEAMLESS SPLICING

Its die-cast aluminum design and six-point magnetic structure creates excellent stability, providing a stunning viewing experience.



CONVENIENT CONTROLS, ABUNDANT FUNCTIONS

- Switch among LED screen signal sources via IR remote control.
- Adjust signal source resolution to LED screen.
- Supports smart dehumidification.

EXTENSIVE OPERATING LIFE

With its modular design, the screen is easy to mount and maintain. Dual-power, industry-leading quality control makes it a perfect candidate for 24/7 operation.

PRODUCT LIST



Fine Pitch LED - Front

- Pixel pitch: 1.25, 1.58, 1.85, 2.52 mm
- Maintenance: Front
- Brightness: ≥ 800 cd/m²
- Viewing angle: 160 degrees Hor./Vert.
- Contrast: $\geq 6,000:1$
- Refresh rate: 3,840 Hz
- Service life: > 100,000 hours



Fine Pitch LED - Rear

- Pixel pitch: 1.27, 1.588, 1.906, 2.54 mm
- Maintenance: Rear
- Brightness: ≥ 800 cd/m²
- Viewing angle: 160 degrees Hor./Vert.
- Contrast: $\geq 6,000:1$
- Refresh rate: 3,840 Hz
- Service life: > 100,000 hours



Indoor Fixed - Rear

- Pixel pitch: 2.5, 3.0, 3.75 mm
- Maintenance: Rear
- Brightness: $\geq 1,000$ cd/m²
- Viewing angle: 160 degrees Hor./Vert.
- Contrast: $\geq 3,000:1$
- Refresh Rate: 1,920 Hz
- Service life: > 100,000 hours



LED DISPLAY OUTDOOR

FEATURES

IP65 RATING FOR WATER AND DUST RESISTANCE

Prevents rust or short circuits caused by water penetrating the LED units.

RELIABLE POWER SUPPLY

The best power supply in the industry, provided by a reliable brand, ensuring safety, high stability, and low failure rates.



EXTENDED OPERATION LIFE

With a modular design, the screen is easy to mount and maintain. Dual-power and industry-leading quality control make it a perfect candidate for 24/7 operation.

EFFICIENT HEAT DISSIPATION

Open shutters behind the LED ventilate and dissipate heat and prevent water seeping in. The combination of fans and air conditioning creates extremely efficient heat dissipation.

PRODUCT LIST



Outdoor LED

- Pixel pitch: 4, 5, 6, 8, 10, 16 mm
- Brightness: $\geq 5,500$ cd/m²
- Viewing angle: 120 degrees Hor./Vert.
- Refresh Rate: $\geq 1,920$ Hz
- Operation temperature: -20-50°C
- Service life: > 100,000 hours
- Waterproof level: IP65

o
ce
plurim
in hoc
rum bu
nonter.
39

41820150 290139



BIG SALE

special price
best

TRANSPARENT DISPLAY

FEATURES


THIN, LIGHTWEIGHT DESIGN

The ultra-thin screen body – only 15 kg – can be directly installed onto a glass curtain wall without an extra steel structure, saving space and installation costs.



RAPID HEAT DISSIPATION

The transparent screen features better heat dissipation thanks to its "hollowed out" design.



30% ENERGY REDUCTION

The transparent part of the screen does not provide light when in use. By utilizing lateral luminescence encapsulation technology, the energy use of this screen is 30% lower than traditional LED screens, along with other benefits such as small size, high brightness, and low current.

HIGH TRANSPARENCY AT 65%–95%


The light bars are less than 2 mm thick, which enables high on-screen transparency .

PRODUCT LIST



Curtain wall LED transparent display

- Pixel pitch (mm, Hor./Vert.): 3.9 x 7.8 / 5 x 7 / 6 x 8
- Transparency: 65%–95%
- Brightness: ≥ 5,000 cd/m²
- Viewing angle: 160 degrees Hor./Vert.
- Weight: ≤ 16kg / m²
- Service life: > 100,000 hours



Showcase LED transparent display

- Pixel pitch (mm, Hor./Vert.): 5 x 8
- Transparency: 65%–95%
- Brightness: ≥ 5,000 cd/m²
- Viewing angle: 160 degrees Hor./Vert.
- Weight: ≤ 21kg / unit
- Service life: > 100,000 hours

DIGITAL SIGNAGE

FEATURES

PERSONALIZED LAYOUT WITH MULTIPLE CONTENT BLOCKS

Personalize your own layouts to display various media formats, including pictures, audio or video files, scrolling subtitles, PDF files, webpages, and live videos.


FREE MANAGEMENT SOFTWARE

Specially designed for small-scale applications with fewer than 30 sets. License limitation: 30 Terminals.

SCHEDULED PLAYLIST

Display schedule can be set by the hour, day, or week.

LARGE-SCALE INTEGRATED MANAGEMENT SOLUTION



PRODUCT LIST

Wall-mounted digital signage - FL Series

DS-D6032/43/55FL-B

Coming soon



- Size: 31.5" / 42.5" / 54.6"
- Resolution: 1920 x 1080
- Android 6.0.1
- 2 GB RAM, 8 GB EMMC, 32 GB TF Card
- USB / RJ45 / Wi-Fi
- Designed for 24/7 Operation
- Portrait and landscape
- Metal frame, tempered glass

Wall-mounted digital signage - FN Series

DS-D6043/55FN-B

Coming soon



- Size: 42.5" / 54.6"
- Resolution: 1920 x 1080
- Ultra Narrow Bezel, metal frame
- Android 6.0.1
- 2 GB RAM, 8 GB EMMC+ 32 GB TF Card
- USB / RJ45 / Wi-Fi
- Designed for 24/7 Operation
- Portrait and landscape

Floor-standing digital signage

DS-D6043/55FL-B/S

Coming soon



- Size: 42.5" / 54.6"
- Resolution: 1920 x 1080
- Ultra Narrow Bezel
- Android 6.0.1
- 2 GB RAM, 8 GB EMMC+ 32 GB TF Card
- USB / RJ45 / Wi-Fi
- Designed for 24/7 Operation
- Metal frame, tempered glass

Digital signage Box

DS-D60C-B



- Resolution: Up to 4K
- Ultra Narrow Bezel
- Android 6.0.1
- 2 GB RAM, 8 GB EMMC+ 1 TF Card slot
- HDMI / Audio in / Audio out / Wi-Fi
- Plastic rack
- 145 x 145 x 31.89 mm



Digital Distribution & Sales Annual Report

Ut enim ipsam labor sit amet, consetetur adipisicing elit. Maiores bibendum. Ut enim ipsam labor sit amet, consetetur adipisicing elit. Maiores bibendum. Ut enim ipsam labor sit amet, consetetur adipisicing elit. Maiores bibendum.

▲ +89%



Product relative effectiveness



AR Cor

Avera

Social neto


Sed vulputate sit libero, tristique augue. Mauris ullamcorper. Sed vulputate sit libero, tristique augue. Mauris ullamcorper. Sed vulputate sit libero, tristique augue. Mauris ullamcorper.

INTERACTIVE DISPLAY

FEATURES

ULTRA 4K RESOLUTION

4K resolution is four times the resolution of 1080p and renders more detail.



ACCURATE ON-SCREEN WRITING

With the 1 mm writing accuracy rate, users will enjoy a better writing experience.



BUILT-IN WHITEBOARD SOFTWARE

Abundant functionality includes powerful brush, 20-point IR touchscreen, infinite whiteboards, and more.



WIRELESS SCREEN MIRRORING

One-click for wireless projection of your PC or mobile phone. Multi-screen interaction among devices and the interactive tablet is made possible for convenient and efficient operation.



PRODUCT LIST



Size: 65"

DS-D5A65RB / A

- Resolution: UHD 4K resolution
- Dual OS, default Android, Window w / OPS optional
- 1 mm writing accuracy
- Built-in whiteboard software
- Screen mirroring via Wi-Fi
- Write and save notes on any page



Size: 75"

DS-D5A75RB / A

- Resolution: UHD 4K resolution
- Dual OS, default Android, Window w / OPS optional
- 1 mm writing accuracy
- Built-in whiteboard software
- Screen mirroring via Wi-Fi
- Write and save notes on any page



Size: 86"

DS-D5A86RB / A

- Resolution: UHD 4K resolution
- Dual OS, default Android, Window w / OPS optional
- 1 mm write accuracy
- Built-in whiteboard software
- Screen mirroring via Wi-Fi
- Write and save notes on any page

VERTICAL SOLUTIONS

RETAIL

Hikvision technologies make full use of mall spaces, enhancing communication among customers and improving the total experience.

* Recommended models are for reference only. Please consult professionals for actual applications.



Outdoor LED Displays

Outdoor Seamless LED Display
DS-D44A0F0

Eye-catching display effect and large, seamless display area.



Entrances

LED Transparent Display
DS-D4A39TI-6W

Information display, advertisements, and shopping guidance



Shop Guidance

Floor-Standing Touch Digital Signage
DS-D6043FL-B/S

Shopping guidance, push advertisements, promotional information



Restaurants

Wall-Mounted Digital Signage
DS-D6043FL-B

Promotional information, push advertisements and menu displays



Buildings

In every corner of the building, we provide corresponding display products to let the audience experience the most amazing viewing possible.

** Recommended models are for reference only. Please consult professionals for actual applications.*



Surveillance Centers

LCD Video Wall
DS-2046NL-C

Shows clear images from cameras.
Tiny bezel screens empower monitoring.



Meeting Rooms

Interactive Display
DS-D5A86RB/A

Write and save notes on any page
Enjoy wireless screen mirroring



Lobbies

LCD Video Wall
DS-D2055NL-E/G

Live news broadcasts, advertisements,
and welcome messages



Entrances

Floor-Standing Digital Signage
DS-D6055FL-B/S

Welcome messages, information display,
and advertisements

Education

Hikvision's educational display meets any teaching requirement, including safe monitoring, information display, interactive education, and much more.

** Recommended models are for reference only. Please consult professionals for actual applications.*



Campus Monitoring

LCD Video Wall
DS-D2055NL-B
24/7 continuous monitoring
Emergency command center



Stadiums

Seamless Outdoor LED Display
DS-D44A0F0
School information distribution
Live event information display



Classroom Digital Signage

Wall-Mounted Digital Signage
DS-D6043FL
Live news broadcasts, advertisements,
and welcome messages



Auditoriums

Seamless Indoor LED Display
DS-D4219FI-6W
School information distribution
Live event information display



Interactive Education

Interactive Tablet
DS-D5A65RB/A
20-point touching screen
Flexible wireless projection



Exhibitions

Hikvision's exhibition display fulfills everything you need for an event, from huge LED displays that can play promotional videos, to floor-standing digital signage and interactive display that allow for easy information viewing and search, making the entire exhibition experience more convenient, more straight-forward, and more efficient.

** Recommended models are for reference only. Please consult professionals for actual applications.*




Self-Service Location / Destination Queries
 Interactive Display
 DS-D6043FL-B
 Route information search
 Location and destination finder



Exhibition Areas
 Seamless Indoor LED Display
 DS-D4219FI-GW
 Real-time information display
 Background programs: Videos, music, advertisements, and more



Entrances
 Floor-standing Digital Signage
 DS-D6043FL-B/S
 Information display, advertisements, and exhibition guidance



REMARKABLE PERFORMANCE
OUTSTANDING RELIABILITY
HIKVISION COMMERCIAL DISPLAYS

Distributed by



HIKVISION

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Germany
T +49-69-401507290
sales.adch@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +6-032-7224000
sales.my@hikvision.com

Hikvision Philippines
sales.ph@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com

www.hikvision.com

Follow us on social media to get the latest product and solution information:

