

















Model	DS-2CE16D0T-ITPF	DS-2CE16D0T-EXIF	DS-2CE16D0T-ITFS	DS-2CE16D0T-ITFS
Picture				
Description	2 MP Fixed Mini Bullet Camera	2 MP Fixed Mini Bullet Camera	2 MP Audio Bullet Camera	2 MP Audio Bullet Camera
Lens	2.8 mm fixed lens	2.8 mm, 3.6 mm fixed lens	2.8 mm fixed lens	3.6 mm fixed lens
Min.Illumination	0.01 Lux	0.02 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0° to 360°; Tilt: 0° to 90°; Rotate: 0° to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°
Day& Night	ICR	IR Cut Filter	ICR	ICR
WDR	Digital WDR	Digital WDR	Digital WDR	Digital WDR
Max. IR Range	Up to 25 m	Up to 20 m	Up to 30 m	Up to 30 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	IP66	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>10,430,000</b>	<b>12,980,000</b>	<b>17,620,000</b>	<b>17,410,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>


Model	DS-2CE16D0T-ITPFS	DS-2CE16D0T-ITF	DS-2CE17D0T-IT1F	DS-2CE17D0T-IT3F
Picture				
Description	2 MP Audio Fixed Mini Bullet Camera	2 MP Audio Bullet Camera	2 MP Bullet Camera	2 MP Fixed Bullet Camera
Lens	2.8 mm, 3.6 mm, 6 mm fixed lens	3.6 mm fixed lens	2.8 mm, 3.6 mm, 6 mm fixed lens	2.8 mm fixed lens
Min.Illumination	0.01 Lux	0.01 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0° to 360°; Tilt: 0° to 180°; Rotate: 0° to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°
Day& Night	ICR	ICR	ICR	ICR
WDR	Digital WDR	Digital WDR	Digital WDR	Digital WDR
Max. IR Range	Up to 25 m	Up to 30 m	Up to 30 m	Up to 50 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>16,390,000</b>	<b>14,190,000</b>	<b>18,050,000</b>	<b>23,160,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>

Model	DS-2CE16D3T-IT3F	DS-2CE16D3T-ITF	DS-2CE10DF0T-F	DS-2CE10DF3T-F
Picture				
Description	2 MP Ultra Low Light Fixed Bullet Camera	2 MP Ultra Low Light Fixed Mini Bullet Camera	2 MP ColorVu Fixed Mini Bullet Camera	2 MP ColorVu Fixed Mini Bullet Camera
Lens	2.8 mm fixed lens	2.8 mm, 3.6 mm and 6 mm	3.6 mm fixed lens	3.6 mm fixed lens
Min.Illumination	0.005 lux	0.005 lux	0.001 Lux	0.0005 Lux
Angle Adjustment	Pan: 0° to 360°, Tilt: 0° to 180°, Rotation: 0° to 360°	Pan: 0° to 360°, Tilt: 0° to 180°, Rotation: 0° to 360°	Pan: 0° to 360°, Tilt: 0° to 90°, Rotation: 0° to 360°	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°
Day& Night	IR cut filter	IR cut filter	24/7 color imaging	24/7 Color Imaging
WDR	≥ 120 dB	≥ 120 dB	Digital WDR	130 dB
Max. IR Range	Up to 50 m	Up to 30 m	Up to 20 m	Up to 20 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS;1 HD analog output	Switchable TVI/AHD/CVI/CVBS;1 HD analog output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Color	Color
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>22,240,000</b>	<b>21,660,000</b>	<b>32,130,000</b>	<b>24,300,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>

Model	DS-2CE12DF3T-F	DS-2CE10DF3T-FS	DS-2CE12DF3T-FS	DS-2CE76D0T-ITMF
Picture				
Description	2 MP ColorVu Fixed Bullet Camera	2 MP ColorVu Audio Fixed Mini Bullet Camera	2 MP ColorVu Audio Fixed Bullet Camera	2 MP Fixed Turret Camera
Lens	3.6 mm fixed lens	2.8 mm fixed lens	2.8 mm fixed lens	2.8 mm fixed lens
Min.Illumination	0.0005 Lux	0.0005 Lux	0.0005 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°
Day& Night	24/7 Color Imaging	24/7 Color Imaging	24/7 Color Imaging	ICR
WDR	130 dB	130 dB	130 dB	Digital WDR
Max. IR Range	Up to 40 m	Up to 20 m	Up to 40 m	Up to 30 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Color	Color	Color	Auto/Color/BW (Black and White)
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>33,470,000</b>	<b>34,070,000</b>	<b>38,330,000</b>	<b>16,440,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>





Model	DS-2CE76D0T-EXIPF	DS-2CE76D0T-ITPF	DS-2CE76D0T-ITPFS	DS-2CE76D0T-ITMFS
Picture				
Description	2 MP Indoor Fixed Turret Camera	2 MP Turret Camera	2 MP Turret Camera	2 MP Audio Turret Camera
Lens	2.8 mm fixed lens	2.8 mm fixed focal lens	2.8 mm, 3.6 mm, 6 mm fixed focal lens	2.8 mm fixed focal lens
Min.Illumination	0.02 Lux	0.01 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°
Day& Night	IR Cut Filter	ICR	ICR	ICR
WDR	Digital WDR	Digital WDR	Digital WDR	Digital WDR
Max. IR Range	Up to 20 m	Up to 20 m	Up to 20 m	Up to 30 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	-	-	-	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>13,390,000</b>	<b>12,320,000</b>	<b>14,840,000</b>	<b>18,810,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>

Model	DS-2CE76D3T-ITPF	DS-2CE76D3T-ITMF	DS-2CE70DF3T-PF	DS-2CE72DF3T-F
Picture				
Description	2 MP Turret Camera	2 MP Ultra Low Light Fixed Turret Camera	2 MP ColorVu Fixed Turret Camera	2 MP ColorVu Fixed Turret Camera
Lens	2.8 mm, 3.6 mm, 6 mm	2.8 mm fixed lens	3.6 mm fixed lens	3.6 mm fixed lens
Min.Illumination	0.005 Lux	0.005 Lux	0.0005 Lux	0.0005 Lux
Angle Adjustment	Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°
Day& Night	Ultra low light	IR Cut Filter	24/7 Color Imaging	24/7 Color Imaging
WDR	≥ 120 dB	120 dB	130 dB	130 dB
Max. IR Range	Up to 30 m	Up to 30 m	Up to 20 m	Up to 40 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Color	Color
Protection Level	IP67	IP67	—	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>17,420,000</b>	<b>23,840,000</b>	<b>26,980,000</b>	<b>25,410,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>





Model	DS-2CE78D0T-IT3FS	DS-2CE16H0T-ITF	DS-2CE16H0T-ITPFS	DS-2CE16H0T-ITPF
Picture				
Description	2 MP Audio Fixed Turret Camera	5 MP Fixed Mini Bullet Camera	5 MP Fixed Bullet Camera	5 MP Fixed Bullet Camera
Lens	2.8 mm, 3.6 mm	3.6 mm fixed lens	3.6 mm fixed lens	2.8 mm fixed lens
Min.Illumination	0.01 Lux	0.01 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°	Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355°	Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355°
Day& Night	ICR	ICR	ICR	ICR
WDR	Digital WDR	DWDR	Digital WDR	Digital WDR
Max. IR Range	Up to 40 m	Up to 20 m	Up to 25 m	Up to 20 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>23,840,000</b>	<b>18,010,000</b>	<b>21,420,000</b>	<b>17,740,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>





Model	DS-2CE16H0T-ITPFS	DS-2CE16H0T-ITFS	DS-2CE17H0T-IT1F	DS-2CE17H0T-IT3F
Picture				
Description	5 MP Fixed Bullet Camera	5 MP Fixed Bullet Camera	5 MP Fixed Bullet Camera	5 MP Fixed Bullet Camera
Lens	2.8 mm fixed lens	2.8 mm, 3.6 mm, 6 mm fixed lens	2.8 mm fixed focal lens	2.8 mm fixed focal lens
Min.Illumination	0.01 Lux	0.01 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355°	Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation 0 to 360°
Day& Night	ICR	ICR	IR Cut Filter	ICR
WDR	Digital WDR	DWDR	DWDR	DWDR
Max. IR Range	Up to 25 m	Up to 30 m IR distance	Up to 30 m IR distance	Up to 40 m IR distance
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS video output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>20,770,000</b>	<b>23,050,000</b>	<b>23,230,000</b>	<b>23,300,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>




Model	DS-2CE17H0T-IT3F	DS-2CE17H0T-IT3FS	DS-2CE17H0T-IT5F	DS-2CE10HFT-F (3.6mm)
Picture				
Description	5 MP Fixed Bullet Camera	5 MP Fixed Bullet Camera	5 MP Fixed Turret Camera	5 MP ColorVu Fixed Mini Bullet Camera
Lens	3.6 mm fixed focal lens	2.8 mm	3.6 mm fixed lens	3.6 mm fixed lens
Min.Illumination	0.01 Lux	0.01 Lux	0.01 Lux	0.0005 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°
Day& Night	ICR	IR Cut Filter	ICR	24/7 Color Imaging
WDR	DWDR	DWDR	Digital WDR	130 dB
Max. IR Range	Up to 40 m IR distance	Up to 40 m IR distance	Up to 80 m	Up to 20 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Color
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>24,100,000</b>	<b>29,790,000</b>	<b>24,460,000</b>	<b>34,810,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>

Model	DS-2CE12HFT-F	DS-2CE72HFT-F28	DS-2CE78H0T-IT1F	DS-2CE78H0T-IT3F
Picture				
Description	5 MP ColorVu Fixed Bullet Camera	5 MP ColorVu Fixed Turret Camera	5 MP Fixed Turret Camera	5 MP Fixed Turret Camera
Lens	3.6 mm fixed lens	2.8 mm fixed lens	2.4 mm fixed lens	2.8 mm, 3.6 mm fixed lens
Min.Illumination	0.0005 Lux	0.0005 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°
Day& Night	Color	Color	ICR	ICR
WDR	130 dB	130 dB	Digital WDR	Digital WDR
Max. IR Range	Up to 40 m	Up to 30 m	Up to 30 m	Up to 40 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Color	Color	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>40,160,000</b>	<b>40,160,000</b>	<b>23,860,000</b>	<b>25,790,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>

Model	DS-2CE78H0T-IT3FS	DS-2CE76H0T-ITPF	DS-2CE76H0T-ITMF	DS-2CE76H0T-ITMFS
Picture				
Description	5 MP Audio Fixed Turret Camera	5 MP Audio Fixed Turret Camera	5 MP Fixed Turret Camera	5 MP Audio Fixed Turret Camera
Lens	3.6 mm fixed lens	2.4 fixed focal lens	2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed lens	2.8 mm, 3.6 mm, 6 mm fixed focal lens
Min.Illumination	0.01 Lux	0.01 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360°
Day& Night	ICR	ICR	ICR	ICR
WDR	Digital WDR	Digital WDR	Digital WDR	Digital WDR
Max. IR Range	Up to 40 m	Up to 20 m	Up to 30 m	Up to 30 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	–	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>25,440,000</b>	<b>17,410,000</b>	<b>21,440,000</b>	<b>24,290,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>

Model	DS-2CE78U8T-IT3	DS-2CE72KF0T-FS	DS-2CE56D0T-VFIR3F	DS-2CE79H0T-IT3ZF
Picture				
Description	8 MP Turret Camera	3K ColorVu Audio Fixed Turret Camera	2 MP Turret Camera	5 MP Motorized Turret Camera
Lens	2.8 mm, 3.6 mm, 6 mm fixed focal lens	2.8 mm fixed lens	2.8 mm to 12 mm vari-focal lens	2.7 mm to 13.5 mm motorized lens
Min.Illumination	0.003 Lux	0.001 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0°to 360°, Tilt: 0°to 75°, Rotate: 0°to 360°	Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360°	Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360°	Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360°
Day& Night	IR cut filter	24/7 Color Imaging	IR cut filter	IR cut filter
WDR	120 Db	Digital WDR	Digital WDR	Digital WDR
Max. IR Range	Up to 60 m	Up to 40 m	Up to 40 m	Up to 40 m
HD Video Output	1 HD analog output	Switchable TVI/AHD/CVI/CVBS	1 analog HD output (TVI only)	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	-	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Color	Smart/color/BW(Black and White)	Smart/color/BW(Black and White)
Protection Level	IP67	IP67	IP66	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>63,870,000</b>	<b>37,400,000</b>	<b>32,240,000</b>	<b>45,780,000</b>
Link	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>

<b>Model</b>	<b>DS-2AE4225TI-D</b>
<b>Picture</b>	
<b>Description</b>	4-inch 2 MP Analog Speed Dome
<b>Lens</b>	4.8 mm to 120 mm, 25 × optical
<b>Min.Illumination</b>	0.005 Lux
<b>Angle Adjustment</b>	360° endless
<b>Day&amp; Night</b>	IR cut filter
<b>WDR</b>	≥ 120 dB
<b>Max. IR Range</b>	Up to 100 m
<b>HD Video Output</b>	Switchable TVI/AHD/CVI/CVBS
<b>BLC</b>	Yes
<b>Day/Night Mode</b>	Auto/Color/BW (Black and White)
<b>Protection Level</b>	IP66
<b>Power</b>	12 VDC
<b>Price</b>	<b>180,520,000</b>
<b>Link</b>	<a href="#">جهت مشاهده اطلاعات بیشتر لطفا کلیک کنید</a>